

Textil

textile upholstery fabric



Breite/Höhe **ca. 140 cm**
width/height

Gewicht **425 g/m²**
weight

Material **73% PES FR, 19% MAC, 8% CO**
material

Pflegeanleitung
care instructions



A3534/140

Schwer brennbar **Ja/yes**
flame retardant
BS5852 - SOURCES 0+1
EN 1021 1+2
ÖNORM B3825
ÖNORM A3800
CLASSE UNO
IMO - FTP PART 8

Easy Clean **Ja/yes**
easy clean

Lichtechtheit **5**
fastness to light
EN ISO 105-B02

Reibechtheit (trocken) **5**
fastness to rubbing (dry)
EN ISO 105-X12

Reibechtheit (nass) **4-5**
fastness to rubbing (wet)
EN ISO 105-X12

Pilling **5**
pilling
EN ISO 12945-2

Scheuertouren Martindale **60000**
abrasion resistance Martindale
EN ISO 12947

Desinfektionsmittelbeständig **Ja/yes**
disinfectant resistant

Getestete Mittel siehe PDF „Desinfektionsmittelbeständigkeit“
tested products see PDF „disinfectant resistance“

Antibakteriell **Ja/yes**
antibacterial

Bindung **Leinwand**
weave
plain



Vorbehaltlich Druck- und Satzfehler. Die Farben der Abbildungen können von der tatsächlichen Produktfarbe abweichen.

Typing and printing errors reserved. The color(s) of the actual product may slightly differ from those shown on this page.

Textil

textile upholstery fabric



Zugfestigkeit Kette <i>tensile strength warp</i>	1781,21 EN ISO 13934-1
Zugfestigkeit Schuss <i>tensile strength weft</i>	632,48 EN ISO 13934-1
Weiterreißfestigkeit Kette <i>tear strength warp</i>	131,84 EN ISO 13937-3
Weiterreißfestigkeit Schuss <i>tear strength weft</i>	57,21 EN ISO 13937-3
Öko-tex Standard 100 <i>öko-tex Standard 100</i>	Ja/yes